



DIAMOND Instruments



DIAMOND Instruments

Shofu Diamond Points are made by Hi-Tech Robots in a computer automated environment untouched by human hands. Each point is guaranteed with an even distribution of natural diamond particles onto a single stainless steel shank to ensure accuracy and effortless cutting efficiency.

Distribution of Diamond particles and clogging after use




**Source: SHOFU R&D (Data on File)*

Multi-coating Technique

Shofu Diamond Points utilize a multi-coating technique with a special surface treatment to enhance durability and less clogging while maintaining its cutting efficiency.

Diamond Retaining Layer

Special Coating




Gentle on the H/P Cartridge

Every Shofu Diamond Point has a very smooth shank and conforms strictly to the ISO standard and specification in order to ensure a precise fit to the handpiece cartridge with no vibration.



Tapered Flat Ended



For crown and bridge preparation

For metal inlay preparation

Regular	▶ 401M	▶ 401	▶ 301	▶ 301M	▶ 202	▶ 202S	▶ 201S
Short		▶ 1401	▶ 1301		▶ 1202		
Super Short		▶ 3401	▶ 3301		▶ 3202		
Robot Point							
ISO #	010	011	016	013	021	017	014

Regular	▶ 201	▶ 101S	▶ 101	▶ 101L	▶ 103	▶ SF201	▶ SF101
Short	▶ 1201		▶ 1101	▶ 1101L	▶ 1103		
Super Short							
Robot Point							
ISO #	016	014	016	018	022	015	015

Regular	▶ C101	▶ C202	▶ 2401	▶ 2303	▶ SC101	▶ SC202	▶ SC301
Short			▶ 1202				
Super Short			▶ 3202				
Robot Point							
ISO #	017	022	011	013	018	023	018

Tapered Safe Ended



For crown and bridge preparation (Tissue protective)

Regular	▶ 201Ra	▶ 104Ra	▶ 101Ra	▶ SF201Ra	▶ SF206Ra
Short					
Super Short					
Robot Point					
ISO #	016	016	016	016	012

Tapered Rounded Edge

Regular	▶ 301CR	▶ 202CR	▶ 201CR	▶ 101CR	▶ 103CR	▶ 206CR	▶ 207CR
Short							
Super Short							
Robot Point						▶ 0825	▶ 0826
ISO #	018	021	018	019	023	027	031

Regular	▶ SF301CR	▶ SF202CR	▶ SF201CR	▶ SF101CR	▶ SF103CR	▶ SF206CR
Short						
Super Short						
Robot Point						▶ 825V
ISO #	081	021	018	019	023	027

Regular	▶ SF207CR
Short	
Super Short	
Robot Point	▶ 826V
ISO #	031



For hard resin and ceramic inlay preparation

Tapered Ellipse



For crown & bridge preparation (Light chamfer)



For finishing filling materials

Regular	▶ 201SR	▶ 201R	▶ 104R	▶ 101R	▶ 101SR	▶ F201R	▶ F104R
Short		▶ 1201R	▶ 1104R	▶ 1101R		▶ F1201R	
Super Short		▶ 3201R	▶ 3104R				
Robot Point							
ISO #	014	016	016	016	013	015	015

Regular	▶ SF104R
Short	▶ SF1104R
Super Short	
Robot Point	
ISO #	015

Tapered Round



For crown and bridge preparation
(Heavy chamfer)

Regular	▶ 102R	▶ 103R	▶ 105R	▶ 106RD	▶ 107RD	▶ F102R	▶ F105R
Short	▶ 1102R	▶ 1103R					
Super Short	▶ 3102R						
Robot Point	▶ 0833			▶ 0836	▶ 0839		
ISO #	017	022	022	021	023	016	021

Regular	▶ SF102R	▶ SF102RD	▶ SF106RD	▶ SF107RD	▶ C102R	▶ SC102R
Short						
Super Short						
Robot Point		▶ 833V	▶ 836V	▶ 839V		
ISO #	016	018	021	023	018	019

Regular	▶ SC104R	▶ SC106RD	▶ SC201R
Short			
Super Short			
Robot Point			
ISO #	018	024	018

Tapered Needle Edge

Regular	▶ 304	▶ 204	▶ 104	▶ 104L	▶ 246	▶ F204	▶ F104
Short		▶ 1204	▶ 1104			▶ F1204	
Super Short		▶ 3204	▶ 3104				
Robot Point							
ISO #	016	013	016	018	033	012	015

Regular	▶ SF204	▶ 2304
Short		
Super Short		
Robot Point		
ISO #	010	011



For crown and bridge preparation
(Feather margin)

Flame Shaped



For crown and bridge preparation
(Knife edge margin)

Regular	▶ 316	▶ 215S	▶ 215	▶ 216	▶ 115	▶ 116	▶ F215
Short			▶ 1215	▶ 1216			▶ F1215
Super Short			▶ 3215				
Robot Point							
ISO #	013	012	014	017	013	015	013

Regular	▶ F216	▶ SF215	▶ SF217
Short			
Super Short			
Robot Point			
ISO #	016	012	013


Torpedo

Regular	▶ 212R	▶ 213R
Short		
Super Short		
Robot Point		
ISO #	010	012



For beveling





Cylinder Flat Ended




For inlay / cavity preparation

Regular	▶ 411	▶ 411M	▶ 311	▶ 211
Short	▶ 1411		▶ 1311	▶ 1211
Super Short				
Robot Point				
ISO #	011	010	013	014






Cylinder Rounded Edge




				
Regular	▶ 214	▶ 114S	▶ 114	▶ SF114
Short	▶	▶	▶	▶
Super Short	▶	▶	▶	▶
Robot Point	▶	▶	▶	▶ 808V
ISO #	012	010	012	013

Cylinder Round



	
Regular	▶ 311RM
Short	▶
Super Short	▶
Robot Point	▶
ISO #	013

Round Inverted Cone / Pear


					
Regular	▶ 461R	▶ 462R	▶ 364R	▶ 265R	▶ SF265R
Short	▶	▶	▶	▶	▶
Super Short	▶ 3461R	▶	▶	▶	▶
Robot Point	▶	▶	▶	▶	▶
ISO #	009	011	015	021	020

			
Regular	▶ 165R	▶ C165R	▶ SC165R
Short	▶	▶	▶
Super Short	▶	▶	▶
Robot Point	▶	▶	▶
ISO #	025	025	026






Egg

		
Regular	▶ 144	▶ SC144
Short	▶	▶
Super Short	▶	▶
Robot Point	▶	▶
ISO #	032	034


Round




For cavity preparation

					
Regular	▶ 440SS	▶ 440S	▶ 440	▶ 340	▶ SF440
Short	▶	▶	▶ 1440	▶ 1340	▶
Super Short	▶ 3440SS	▶	▶ 3440	▶	▶
Robot Point	▶	▶	▶	▶	▶
ISO #	010	013	015	018	015






Round with Collar

	
Regular	▶ 340S
Short	▶
Super Short	▶
Robot Point	▶
ISO #	016







Inverted Cone



For cavity preparation

					
Regular	▶ 421M	▶ 421	▶ 321M	▶ 321	▶ 120
Short	▶	▶	▶	▶	▶
Super Short	▶	▶	▶	▶	▶
Robot Point	▶	▶	▶	▶	▶
ISO #	010	015	016	018	023

Double Inverted Cone

						
Regular	▶ 421SS	▶ 421S	▶ 321S	▶ 435	▶ 335	▶ 2421SS
Short	▶ 1421SS	▶ 1421S	▶	▶	▶	▶
Super Short	▶ 3421SS	▶	▶	▶	▶	▶
Robot Point	▶	▶	▶	▶	▶	▶
ISO #	010	014	016	013	015	009

Foot Ball



For crown and bridge preparation
(Lingual reduction)

Regular	▶ 145	SF145
Short	▶	
Super Short	▶	
Robot Point	▶ 0893	893V
ISO #	029	029

Wheel

Regular	▶ 330	230	130
Short	▶		
Super Short	▶		
Robot Point	▶		
ISO #	025	043	050

Bud



For crown and bridge preparation
(Lingual reduction)

Regular	▶ 117	319	SF319	SF217	SF219
Short	▶				
Super Short	▶				
Robot Point	▶				
ISO #	032	017	014	012	019

Double Cone

Regular	▶ 148	149
Short	▶	
Super Short	▶	
Robot Point	▶	
ISO #	032	039



For crown and bridge preparation
(Occlusal reduction)

Rounded Wheel

Regular	▶ 111	SC111
Short	▶	
Super Short	▶	
Robot Point	▶	
ISO #	045	047




For crown and bridge preparation
(Lingual reduction)

Knife Edged Wheel

Regular	▶ 325
Short	▶
Super Short	▶
Robot Point	▶
ISO #	028


Specialty Burs / Depth Markers




For creating depth orientation grooves

Regular	▶ 121	122	SF151
Short	▶		
Super Short	▶		
Robot Point	▶ 0896	0897	
ISO #	026	036	028


Root Canal Access

	
Regular	▶ 248
Short	▶
Super Short	▶
Robot Point	▶
ISO #	018



For opening root canal




Inverted Cone with a Rounded Tip


	
Regular	▶ 150 SF150
Short	▶
Super Short	▶
Robot Point	▶ 0899 0899V
ISO #	035 035



For all ceramic preparation
(Occlusal reduction)


Special Superfine Diamonds

			
Regular	▶ SF318	▶ SF416	▶ SF313R
Short	▶	▶	▶
Super Short	▶	▶	▶
Robot Point	▶	▶	▶
ISO #	023	010	016






For finishing
filling materials
(Occlusal surface)

Tissue Protective End-Cuting








For shoulder preparation

			
Regular	▶ F414SS	▶ F414S	▶ F414
Short	▶	▶	▶
Super Short	▶	▶	▶
Robot Point	▶	▶	▶
ISO #	010	012	014


Surgical



For surgical procedures

					
Regular	▶ C104LL	▶ C165R	▶ C101X	▶ C103X	▶ C105RX
Short	▶	▶	▶	▶	▶
Super Short	▶	▶	▶	▶	▶
Robot Point	▶	▶	▶	▶	▶
ISO #	022	025	017	023	023





MI Diamonds – For Micro Dentistry

For minimal intervention

Regular	▶ F440R	SF416	SF215	SF319	MI-IR	MI-2R	MI-3R	MI-IP	MI-2P	MI-3P	MI-F06R	MI-F06RL	MI-F06P	MI-F06PL
Short	▶													
Super Short	▶													
Robot Point	▶													
ISO #	▶ 007	010	012	014	009	011	013	008	010	012	006	006	006	006
L(mm)	▶ 0.7	4	7.5	3.4	0.7	0.9	1.1	2	2	2	0.5	0.5	1.9	1.9

Hybrid Points – Operative Diamonds

Diamond charged FG points in the shape of carbide burs.

Bur No.	▶ 2	4	6	34	35	245	331	556 / 56	557 / 57	558 / 58	700 / 170	701 / 171
PN	▶ 0901	0903	0905	0907	0909	0911	0913	0915	0917	0919	0921	0923
ISO #	▶ 010	014	016	008	010	008	010	009	010	012	010	012



For cavity preparation


T & F Hybrid Points – Micron Diamonds

Diamond charged FG points in the shape of carbide burs.


Bur No.	▶ 7006	7104	7106	7404	7406	7803	7901	7903	LT1	LT2
PN	▶ 0925	0927	0929	0931	0933	0935	0937	0939	0941	0943
ISO #	▶ 018	014	018	014	018	012	009	012	014	014




For finishing filling materials




Regular (Unmarked)




Regular	▶ 401M	▶ 401	▶ 301	▶ 301M	▶ 201S	▶ 201	▶ 101S	▶ 101	▶ 101L	▶ 202	▶ 202S	▶ 103	▶ 301CR	▶ 202CR	▶ 201CR
Short	▶	▶ 1401	▶ 1301	▶	▶	▶ 1201	▶	▶ 1101	▶ 1101L	▶ 1202	▶	▶ 1103	▶	▶	▶
Super Short	▶	▶ 3401	▶ 3301	▶	▶	▶	▶	▶	▶	▶ 3202	▶	▶	▶	▶	▶
Robot Point	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶
ISO #	▶ 170 / 010	▶ 170 / 011	▶ 170 / 016	▶ 170 / 013	▶ 171 / 014	▶ 171 / 016	▶ 173 / 014	▶ 173 / 016	▶ 173 / 018	▶ 170 / 021	▶ 170 / 017	▶ 172 / 022	▶ 544 / 018	▶ 544 / 021	▶ 545 / 018
L(mm)	▶ 3	▶ 4	▶ 4.5	▶ 4	▶ 7	▶ 7	▶ 10	▶ 10	▶ 10	▶ 5	▶ 5	▶ 9	▶ 4	▶ 5	▶ 7




Regular	▶ 101CR	▶ 103CR	▶ 206CR	▶ 207CR	▶ 201SR	▶ 201R	▶ 104R	▶ 101SR	▶ 101R	▶ 102R	▶ 103R	▶ 105R	▶ 106RD	▶ 107RD	▶ 201Ra
Short	▶	▶	▶	▶	▶	▶ 1201R	▶ 1104R	▶	▶ 1101R	▶ 1102R	▶ 1103R	▶	▶	▶	▶
Super Short	▶	▶	▶	▶	▶	▶ 3201R	▶ 3104R	▶	▶	▶ 3102R	▶	▶	▶	▶	▶
Robot Point	▶	▶	▶ 0852	▶ 0826	▶	▶	▶	▶	▶	▶ 0833	▶	▶	▶ 0836	▶ 0839	▶
ISO #	▶ 553 / 019	▶ 553 / 023	▶ 544 / 027	▶ 544 / 031	▶ 222 / 014	▶ 222 / 016	▶ 193 / 016	▶ 199 / 013	▶ 199 / 016	▶ 223 / 017	▶ 223 / 022	▶ 223 / 022	▶ 198 / 021	▶ 198 / 023	▶ 218 / 016
L(mm)	▶ 10	▶ 10	▶ 3.5	▶ 3.5	▶ 7	▶ 7	▶ 10	▶ 9	▶ 10	▶ 9	▶ 9	▶ 11.5	▶ 9	▶ 9	▶ 7



Regular	▶ 104Ra	▶ 101Ra	▶ 304	▶ 204	▶ 104	▶ 104L	▶ 411	▶ 411M	▶ 311	▶ 211	▶ 214	▶ 311RM	▶ 212R	▶ 213R	▶ 114S
Short	▶	▶	▶	▶ 1204	▶ 1104	▶	▶ 1411	▶	▶ 1311	▶ 1211	▶	▶	▶	▶	▶
Super Short	▶	▶	▶	▶ 3204	▶ 3104	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶
Robot Point	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶
ISO #	▶ 220 / 016	▶ 220 / 016	▶ 164 / 016	▶ 165 / 013	▶ 166 / 016	▶ 166 / 018	▶ 109 / 011	▶ 109 / 010	▶ 109 / 013	▶ 110 / 014	▶ 156 / 012	▶ 139 / 013	▶ 288 / 010	▶ 289 / 012	▶ 158 / 010
L(mm)	▶ 10	▶ 10	▶ 6	▶ 8	▶ 10	▶ 10	▶ 4	▶ 3	▶ 4.5	▶ 7	▶ 5	▶ 4.5	▶ 6	▶ 8	▶ 8




Regular	▶ 114	▶ 316	▶ 215S	▶ 215	▶ 216	▶ 115	▶ 116	▶ 421M	▶ 421	▶ 321M	▶ 321	▶ 120	▶ 421SS	▶ 421S	▶ 321S
Short	▶	▶	▶	▶ 1215	▶ 1216	▶	▶	▶	▶	▶	▶	▶	▶ 1421SS	▶ 1421S	▶
Super Short	▶	▶	▶	▶ 3215	▶	▶	▶	▶	▶	▶	▶	▶	▶ 3421SS	▶	▶
Robot Point	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶
ISO #	▶ 158 / 012	▶ 247 / 013	▶ 249 / 012	▶ 249 / 014	▶ 249 / 017	▶ 250 / 013	▶ 250 / 015	▶ 012 / 010	▶ 012 / 015	▶ 012 / 016	▶ 012 / 018	▶ 226 / 023	▶ 019 / 010	▶ 019 / 014	▶ 019 / 016
L(mm)	▶ 8	▶ 4	▶ 7.5	▶ 7.5	▶ 7.5	▶ 10	▶ 10	▶ 1	▶ 1.5	▶ 1.4	▶ 1.7	▶ 7	▶ 2.2	▶ 3.5	▶ 3.5




Regular	▶ 435	▶ 335	▶ 150	▶ 440SS	▶ 440S	▶ 440	▶ 340	▶ 340S	▶ 461R	▶ 462R	▶ 364R	▶ 265R	▶ 165R	▶ 144	▶ 330
Short	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶
Super Short	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶	▶
Robot Point	▶	▶	▶ 0899	▶ 3440SS	▶	▶ 3440	▶ 1440	▶ 1340	▶	▶ 3461R	▶	▶	▶	▶	▶
ISO #	▶ 032 / 013	▶ 032 / 015	▶ 031 / 035	▶ 001 / 010	▶ 001 / 013	▶ 001 / 015	▶ 001 / 018	▶ 002 / 016	▶ 237 / 009	▶ 237 / 011	▶ 237 / 015	▶ 237 / 021	▶ 237 / 025	▶ 237 / 032	▶ 041 / 025
L(mm)	▶ 1.5	▶ 1.7	▶ 5.7	▶ 0.9	▶ 1.2	▶ 1.3	▶ 1.6	▶ 3.5	▶ 2	▶ 1.7	▶ 4.5	▶ 5	▶ 6.5	▶ 5	▶ 0.5

Maximum r.p.m. : Less than 450,000 r.p.m. Less than 300,000 r.p.m. Less than 160,000 r.p.m. Less than 120,000 r.p.m.




Regular	▶	230	130	325	111	246	117	319	145	148	149	248	121	122
Short	▶													
Super Short	▶													
Robot Point	▶								0893				0896	0897
ISO #	▶	041 / 043	041 / 050	304 / 028	068 / 045	162 / 033	254 / 032	243 / 017	277 / 029	039 / 032	038 / 039	005 / 018	552 / 026	552 / 036
L(mm)	▶	0.6	0.7	0.8	1.7	4	5	3	4.9	5	4	7.5	3.6	4

Fine (Red Band)




Regular	▶	F201R	F104R	F102R	F105R	F204	F104	F215	F216	F440R	F414SS	F414S	F414
Short	▶	F1201R				F1204		F1215					
Super Short	▶												
Robot Point	▶												
ISO #	▶	222 / 015	193 / 015	223 / 016	223 / 021	165 / 012	166 / 015	249 / 013	249 / 016	138 / 007	150 / 010	150 / 012	150 / 014
L(mm)	▶	7	10	9	11.5	8	10	7.5	7.5	0.7	9	9	9

Superfine (Yellow Band)




Regular	▶	SF201	SF101	SF301CR	SF202CR	SF201CR	SF101CR	SF103CR	SF206CR	SF207CR	SF104R	SF102R	SF102RD	SF106RD
Short	▶										SF1104R			
Super Short	▶													
Robot Point	▶								825V	826V			833V	836V
ISO #	▶	171 / 015	173 / 015	544 / 018	544 / 021	545 / 018	553 / 019	553 / 023	544 / 027	544 / 031	193 / 015	223 / 016	198 / 018	198 / 021
L(mm)	▶	7	10	4	5	5	10	10	3.5	3.5	10	9	9	9




Regular	▶	SF107RD	SF201Ra	SF206Ra	SF204	SF215	SF217	SF114	SF318	SF319	SF219	SF416	SF150	SF151
Short	▶													
Super Short	▶													
Robot Point	▶	839V						808V					899V	
ISO #	▶	198 / 023	218 / 016	218 / 012	165 / 010	249 / 012	249 / 013	158 / 013	254 / 023	243 / 014	243 / 019	249 / 010	031 / 035	028
L(mm)	▶	9	7	7	8	7.5	6	8	2	3.4	5	4	5.7	5.6

Maximum r.p.m. : Less than 450,000 r.p.m. Less than 300,000 r.p.m. Less than 160,000 r.p.m. Less than 120,000 r.p.m.




Coarse (Green Band)




Regular	▶ SF440	SF265R	SF313R	SF145	C101	C202	C102R	C104LL	C165R	C101X	C103X	C105RX
Short	▶											
Super Short	▶											
Robot Point	▶			893V								
ISO #	▶ 001 / 015	237 / 020	284 / 016	277 / 029	173 / 017	170 / 022	222 / 018	160 / 022	237 / 025	173 / 017	173 / 023	223 / 023
L(mm)	▶ 1.3	5	3.3	4.9	10	5	9	10	7	10	10	12

SuperCoarse (Black Band)




Regular	▶ SC101	SC102R	SC104R	SC106RD	SC201R	SC202	SC301	SC111	SC144	SC165R
Short	▶									
Super Short	▶									
Robot Point	▶									
ISO #	▶ 018	019	018	024	018	023	018	047	034	026
L(mm)	▶ 10	9	10	9	7	5	4.5	1.7	5	6.5

GingivoPlasty



Regular	▶ G2
Short	▶
Super Short	▶
Robot Point	▶
ISO #	▶ 508 / 022
L(mm)	▶ 9.5

Maximum r.p.m. :  Less than 450,000 r.p.m.  Less than 300,000 r.p.m.  Less than 160,000 r.p.m.  Less than 120,000 r.p.m.



Order Information



Diamond Point FG
Packed 1 pc each in a plastic case, 10 cases in a box



Direct Cosmetic Restoration Kit
Designed for tooth preparation & finishing of direct restorative materials. Contains 8 pcs of DIAMOND POINT FG organized in an aluminium bur block for easy sterilization



All Ceramic Preparation Kit [PN 0955]
Contains 17 pcs of Robot Point FG



Hybrid Points Kit [PN 0900]
12 shapes of Hybrid Points & 10 shapes of T & F Hybrid Points



T & F Hybrid Points Kit [PN 0950]
Contains 10 pcs of T & F Hybrid Points



Crown & Bridge Preparation Kit
Contains 14 pcs of Diamond Point FG organized in an aluminum bur block for easy sterilization.

Related Products



Bur Station II
Sterilizable bur stand for 11 FG points and 6 CA points



SHOFU DENTAL ASIA-PACIFIC PTE. LTD.
10 Science Park Road, #03-12 The Alpha, Science Park II, Singapore 117684
Tel: +65 6377 2722 Fax: +65 6377 1121
eMail: mailbx@shofu.com.sg www.shofu.com.sg



DP20221109